Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1338	370/329.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 08:48
S2	0	S1 and (queu$3 with frames with allocat$3 with slot$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 08:44
S3	4	S1 and (queu$3 with cell$1 with allocat$3 with slot$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 08:48
S4	1402	370/347.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 08:48
S5	0	S4 and (queu$3 with cell$1 with allocat$3 with slot$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 08:49
S6	29	S4 and (queu$3 with allocat$3 with slot$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 08:57
S7	390	370/437.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 08:59
S8	10	S7 and (queu$3 with allocat$3 with slot$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 08:59

S9	660	370/458.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 08:59
S10	14	S9 and (queu$3 with allocat$3 with slot$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:05
S11	472	370/345.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:46
S12	1	S11 and (old$3 with transmi$6 with first)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:07
S13	15	S11 and (round-robiin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:56
S14	0	(oldest or longest) with (transmission with time) with (alloca$4 or schedul$3) with (timeslot or sub-slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:20
S15	38	(oldest or longest) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:40
S16	9	(oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 14:02

S17	1	S11 and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:46
S18	616	370/348.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:46
S19	0	S18 and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:46
S20	0	370/437.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:52
S21	0	370/442.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:47
S22	0	370/447.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:47
S23	0	370/461.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:47
S24	0	370/468.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:47

S25	0	370/458.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:47
S26	0	370/470.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:47
S27	0	370/498.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:48
S28	0	370/236.1.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:48
S29	0	370/310.1.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:48
S30	0	370/395.71 and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:48
S31	0	370/395.71.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:48
S32	0	370/395.1.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:49

S33	0	370/462.ccls. and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:49
S34	0	370/437.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:52
S35	0	370/442.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:52
S36	1	370/447.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:54
S37	1	370/461.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:54
S38	0	370/468.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:54
S39	0	370/458.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:54
S40	0	370/470.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:54

S41	0	370/498.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:55
S42	0	370/236.1.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:55
S43	0	370/310.1.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:55
S44	0	370/395.71.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:55
S45	0	370/395.1.ccls. and (oldest or longest) with (first or before) with (transmission with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 13:55
S46	17	370/437.ccls. and (round-robiin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 14:03
S47	32	370/442.ccls. and (round-robiin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 14:19
S48	64	370/447.ccls. and (round-robiin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 14:29

S49	46	370/461.ccls. and (round-robiin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 14:36
S50	102	370/462.ccls. and (round-robiin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 14:48
S51	155	370/468.ccls. and (round-robiin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 15:02
S52	29	370/458.ccls. and (round-robiin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 15:02
S53	29	370/458.ccls. and (round-robin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 15:06
S54	8	370/470.ccls. and (round-robin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 15:08
S55	7	370/498.ccls. and (round-robin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 15:09
S56	11	370/236.1.ccls. and (round-robin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 15:10

S57	6	370/310.1.ccls. and (round-robin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 15:11
S58	23	370/395.71.ccls. and (round-robin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 15:16
S59	87	370/395.1.ccls. and (round-robin or (round with robin) or (round near robin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 15:16
S60	15	(US-20010038620-$ or US-20020080816-$ or US-20020136169-$ or US-20050089064-$ or US-20050195843-$).did. or (US-5754537-$ or US-6356548-$ or US-6452933-$ or US-6563829-$ or US-6747971-$ or US-6765867-$ or US-6801543-$ or US-6810012-$).did. or (WO-2071694-$).did. or (US-6285312-$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 13:53
S61	2	S60 and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 09:34
S62	2	"5956342".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 13:53

S63	15	(US-20010038620-$ or US-20020080816-$ or US-20020136169-$ or US-20050089064-$ or US-20050195843-$).did. or (US-5754537-$ or US-6356548-$ or US-6452933-$ or US-6563829-$ or US-6747971-$ or US-6765867-$ or US-6801543-$ or US-6810012-$).did. or (WO-2071694-$).did. or (US-6285312-$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 13:54
S64	0	S63 and (monitor near queue)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 13:54
S65	4	S63 and (monitor)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 13:57
S66	37	(monitor$3 with transmission with queu$3 with cell$1)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 14:01
S67	0	S66 and (uplink with downlink)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 14:00
S68	1	(monitor$3 with transmission with queu$3 with uplink with downlink)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 14:01
S69	0	(monitor$3 near transmission near queu$3 near uplink near downlink)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 14:01
S70	893	(monitor$3 and transmission and queu$3 and uplink and downlink)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 14:02
S71	529	S70 and "370"/$.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 14:05
S72	1	S71 and (oldest or longest) with (first or before) with (transmission with time) with (alloca$4 or schedul$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 14:03

S73	169	S71 and (wireless with base with station)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 14:07
S74	12	(channel with allocat$4 with monitor$3 with uplink with downlink)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2005/12/29 14:07
S75	2	"5956342".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 16:30
S76	2	"6097733".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 16:31
S77	2	"6353618".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 16:31